

Six Monthly Compliance Status Report

Annexure-1

Name of Project : Expansion of Chlorometanes,HFC-134a and Fluorospeciality, plant at village & P.O Jhiwana,Tehsil Tijara District Alwar, Rajasthan

Project Code: Nil

Clearance Letter No.:J-11011/319/2010-1A II (I) dated 22nd March,2013

Period of compliance Report: EC Applicability Period: October-17 to March-18

S. No.	Conditions	Compliance Status
A. SPECIFIC CONDITIONS :		
(i)	Compliance to all the environment conditions stipulated in the environment clearance letter no.J-11011/472/2007-IA.II dated 19 th /25 th March,2008 shall be satisfactorily implemented and compliance reports submitted to the Ministry's Regional Office at Lucknow.	Latest compliance report to all the environment conditions stipulated in the environment clearance letter no.J-11011/472/2007-IA.II dated 19 th /25 th March,2008 was sent to Regional Office Lucknow on 08.11.2017.
(ii)	National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R.608(E) dated 21 st July 2010 and amended time to time shall be followed by the Unit.	We are complying National Emission Standards for organic chemicals manufacturing industry issued by the Ministry vide G.S.R.608(E) dated 21 st July 2010 and amended time to time.
(iii)	Comments and recommendation shall be obtained from the state Forest Department regarding Impacts of proposed expansion on the surrounding reserve forests.	NOC was obtained from state forest department & green belt is developed as per their guidelines.

(iv)	<p>Venturi Scrubber shall be provided to the process vents to control process emission. The scrubbing media shall be sent to effluent treatment plant(ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time the emission levels should go beyond the prescribed standards. Scrubbers vent shall be provided with on-line detection and alarm system to indicate higher than permissible value of controlled parameters. The system shall be interlocked with the pollution control equipment so that in case of any increase in pollutants beyond permissible limits, Plant shall be automatically stopped. Stack monitoring shall be done regularly and report shall be submitted to Rajasthan State Pollution Control Board(RSPCB) and the ministry's regional office at Lucknow</p>	<p>All existing vent scrubbers are designed as suggested. All vents are having provision of on line detection & alarm. Analysis report of stack and ambient are attached herewith of exiting Scrubber as Annexures 2 & 3. All parameters are also analysed by the MOEF approved lab every quarter. CPP stack is monitored once in three months by MOEF approved lab. Emission is well within the RPCB specified standards. Monitoring data are being submitted to RPCB, Jaipur on Monthly/ Quarterly basis. Analysis report is attached herewith as Annexures-E-5 to E12.</p>
(v)	<p>In the plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/Materials, Multi cyclone Separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading area to control dust emission. Fugitive emissions in the work zone environment, product, raw materials storage area etc. Shall be regularly monitored and records maintained. The emissions shall confirm to be limits stipulated by the RPCB.</p>	<p>All applicable systems/ arrangements as suggested are in place. Ambient Air monitoring is being done on monthly basis & data are being submitted to RPCB, Jaipur on Monthly / Quarterly basis.</p> <p>Analysis report of Ambient air is attached as Annexure-3</p> <p>All parameters are also analysed by the MOEF approved lab every quarter. Analysis report of MOEF approved lab is attached as Annexure-E-1 to E-4. Work zone monitoring is also being done by using dragger tubes & personal samplers of individual hazardous chemicals. The analysed results are much below the TLV level of individual chemicals. Work zone monitoring is also being done by using dragger tubes. . The analyzed results are much below the TLV level of individual chemicals. Analysis report is attached as Annexure 3a.</p> <p>The same is also verified by officials from CIFB time to time.</p>

(vi)	Continuous monitoring system for VOCs and chlorine shall be installed at all important places/areas. Effective measures shall be taken immediately, When monitoring results indicate above the permissible limits.	Continuous monitoring system for VOCs and chlorine are installed at all important places/areas. Effective measures are being taken immediately, When monitoring results indicate above the permissible limits.
(vii)	A proper leak Detection and Repair (LDAR) Program shall be prepared and implemented as per CPCB guidelines. Focus shall be given for prevention of fugitive emissions for which preventive maintenance of pumps valve pipelines are required. Proper maintenance of mechanicals seals of pump and valves shall be given. A preventive maintenance schedule for each unit shall be prepared and adhered to.	A proper leak Detection and Repair (LDAR) Program is prepared and implemented as per CPCB guidelines. Focus is being given for prevention of fugitive emissions for which preventive maintenance of pumps valve pipelines are required. Proper maintenance of mechanicals seals of pump and valves is given. A preventive maintenance schedule for each unit is prepared and adhered to.
(viii)	Proper hood along with suction facility and scrubbing arrangement should be provided in the chlorine storage area. Alarm for chlorine leakage if any in the liquid chlorine storage area shall be provided automatic start of the scrubbing system.	Proper hood along with suction facility and scrubbing arrangement are provided in the chlorine storage area. Alarm for chlorine leakage if any in the liquid chlorine storage area is provided automatic start of the scrubbing system.
(ix)	The gaseous emission from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	The gaseous emission from DG set is dispersed through adequate stack height as per CPCB standards. Acoustic enclosure is provided to the DG sets to mitigate the noise pollution.
(x)	Ambient air quality data shall be collected as per NAAQES standard notified by the Ministry vide G.S.R.No.826(E)dated 16 th september,2009.The level of PM10,SO2,NOX,CO,HCl,Fluoride,Chlorine and VOC shall be monitored in the ambient air and emissions from the important public places. The company shall upload the result of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the regional office of MOEF, the respective Zonal office of CPCB and RSPCB.	Ambient air quality data are collected as per NAAQES standard notified by the Ministry vide G.S.R.No.826(E)dated 16 th september,2009.The level of PM10,SO2,NOX,CO,HCl,Fluoride,Chlorine and VOC are being monitored in the ambient air and emissions from the important public places. The company upload the result of monitored data on its website and update the same periodically. It is simultaneously being sent to the regional office of MOEF, the respective Zonal office of CPCB and RSPCB.

(xi)	Stack Monitoring of incinerator shall be carried out as per CPCB guidelines.	We don't have any incinerator.
(xii)	Solvent management shall be carried out as follows:	Solvent management is being carried out as follows:
i.	Reactor shall be connected to chilled brine condenser system	Reactors are connected to chilled brine condenser system.
ii.	Reactor and solvent handling pump shall have mechanical seals to prevent leakages.	Reactor and solvent handling pumps are having mechanical seals to prevent leakages.
iii.	The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery.	The condensers are provided with sufficient HTA and residence time so as to achieve more than 95% recovery.
iv.	Solvent shall be stored in a separate space specified with all safety measures.	Solvents are being stored in a separate space specified with all safety measures.
v	Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.	Proper earthing is provided in all the electrical equipment wherever solvent handling is done.
vi	Entire plant shall flame proof. The solvent storage tanks should be provided with breather valve to prevent losses.	Entire plant (flammable zones) is flame proof. The solvent storage tanks are provided with breather valve to prevent losses.
(xiii)	Total fresh water requirement from ground water source shall not exceed to 2921m ³ /day after expansion and prior permission shall be obtained from the central Ground Water Authority.	Total fresh water requirement from ground water source is not exceeded to 2921m ³ /day after expansion and prior permission has been obtained from the central Ground Water Authority. Details of water withdrawal during October'17 to March'18 is enclosed as an Annexure-5. A copy of NOC from CGWA is attached as Annexure-9. Previous compliance report of CGWA conditions is also attached as Annexure-10

(xiv)	As proposed, industrial wastewater generation shall not exceed 1419m ³ /day. Process effluent and utility effluent shall be segregated and treated in ETP. Treated effluent shall be reused/recycled within factory premises. Domestic sewage shall be treated in STP. Water quality of treated effluent shall be monitored regularly and monitoring report shall be submitted to the RSPCB. Water quality of treated effluent shall be monitored regularly.	As proposed, industrial wastewater generation is not exceeded 1419m ³ /day. Process effluent and utility effluent shall be segregated and treated in ETP. Treated effluent is being reused/recycled within factory premises. Domestic sewage is being treated in STP. Analysis report of treated water for existing system is attached herewith as annexure-6. All parameters are also analysed by the MOEF approved lab every quarter. Analysis report is attached as Annexures-E-13-E-14.
(xv)	Treated process effluent shall be passed through guard pond. Online continuous pH meter, Fluoride and flow meter shall be installed to monitor the treated water quantity.	Treated process effluent is passed through guard pond. Online continuous pH meter, Fluoride and flow meter are installed to monitor the treated water quantity.
(xvi)	No effluent shall be discharged outside the premises and zero effluent discharge concept shall be adopted.	No effluent is discharged outside the premises and zero effluent discharge concept is adopted.
(xvii)	Hazardous chemicals shall be stored in tanks in tank farms drums carbouy etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pumps.	Hazardous chemicals are being stored in tanks in tank farms, drums, carbouys etc. Flame arresters are provided on tank farm. Solvent transfer is being done by pumps.
(xviii)	The company shall obtain Authorisation for collection, storage and disposal of hazardous waste under the hazardous Waste (Management, Handling and trans-Boundary movement) Rules,2008 and amended as on date for management of hazardous waste and prior permission from RSPCB shall be obtained for disposal of solid/hazardous waste in the TSDF. Measures shall be taken for fire fighting facilities in case of emergency. Membership of TSDF for hazardous waste disposal shall be obtained.	The company has obtained Authorisation for collection, storage and disposal of hazardous waste under the hazardous Waste (Management, Handling and trans-Boundary movement) Rules, 2008 and amended as on date for management of hazardous waste and prior permission from RSPCB is obtained for disposal of solid/hazardous waste in the TSDF. Measures are taken for fire-fighting facilities in case of emergency. Membership of TSDF for hazardous waste disposal is obtained. Hazardous waste are being disposed off as per the Conditions specified in RPCB letter no. F(HSW)/Alwar (Tijara)/132(1)/2012-2013/844-846 08.05.2017 with authorisation number

		RPCB/HWM/2017-2018/HSW/HSW/32.. Hazardous waste quantity disposed during October'17 to March'18 is attached as Annexure-4. . A copy of membership of CTFD Udaipur is also attached as Annexure-8
(xix)	As proposed, process effluent sludge containing CaF ₂ shall be recycled 100% into the process. Spent oil shall be sent to authorized recyclers.	Process effluent sludge containing CaF ₂ is being recycled 100% into the process. Spent oil is being sent to authorized recyclers.
(xx)	The company shall strictly comply with the rules and guidelines under manufacture, Storage and Import of Hazardous Chemicals(MSIHC) Rules.1989 as amended in October,1994 and January,2000.Transportation of all Hazardous chemicals shall be as per the Motor Vehicle Act(MVA),1989.	The company is strictly complying with the rules and guidelines under manufacture, Storage and Import of Hazardous Chemicals(MSIHC) Rules.1989 as amended in October,1994 and January,2000.Transportation of all Hazardous chemicals is being done as per the Motor Vehicle Act(MVA),1989.
(xxi)	The company shall undertake following waste minimization measures:	
a	Metering and control of quantities of active ingredient to minimize waste.	Metering and control of quantities of active ingredient to minimize waste is being complied.
b	Reuse of by-Product from the process as raw materials or as raw material substitutes in other processes.	Reuse of by-Product from the process as raw materials or as raw material substitutes in other processes is being complied.
c	Use of automated filling to minimize spillage	Use of automated filling to minimize spillage is being complied.
d	Use of close feed system into batch reactors	Use of close feed system into batch reactors is being done.
e	Venting equipment through vapour recovery system.	Venting equipment through vapour

		recovery system is being done.																																				
f	Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Use of high pressure hoses for equipment clearing to reduce wastewater generation is being done.																																				
(xxii)	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.	The unit has done adequate arrangements for protection of possible fire hazards during manufacturing process in material handling. Firefighting system is provided as per the norms.																																				
(xxiii)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act	Occupational health surveillance of the workers is being done on a regular basis and records are maintained as per the Factories Act.																																				
(xxiv)	Green belt shall be developed at least in 33% of the plant area in and around the plant premises to mitigate the effects of fugitive emission all around the plant as per the CPCB guidelines in consultation with DFO. Thick greenbelt with suitable plant species shall be developed around the proposed pesticide unit to mitigate the odour problem. Selection of plant species shall be as per the CPCB guidelines.	<p>At present Green Belt is being maintained over 36% of the total area i.e. 30.31 acres. CSR representative is in touch with DFO for any development of green belt. Last Five years plantation data is as given in below table:</p> <table border="1"> <thead> <tr> <th>Year</th> <th>Old Plants</th> <th>New Planted</th> <th>Total</th> <th>Mortality</th> <th>Survival %</th> </tr> </thead> <tbody> <tr> <td>13-14</td> <td>5400</td> <td>1210</td> <td>6610</td> <td>264</td> <td>96</td> </tr> <tr> <td>14-15</td> <td>6346</td> <td>1207</td> <td>7553</td> <td>1782</td> <td>77</td> </tr> <tr> <td>15-16</td> <td>5771</td> <td>922</td> <td>6693</td> <td>204</td> <td>78</td> </tr> <tr> <td>16-17</td> <td>6489</td> <td>1673</td> <td>8162</td> <td>1788</td> <td>78</td> </tr> <tr> <td>17.18</td> <td>6374</td> <td>2243</td> <td>8617</td> <td>1478</td> <td>83</td> </tr> </tbody> </table> <p>Name of species for green belt are Peepal, Desi Neem, Philkhan(Pakhal), Kranj, Cassia Siamea, Ardu Neem, Arjun, Jamun, Gulmohar etc.</p> <p>*Above given is within premises plantation other than this SRF has planted 3,67,639 fodder and fruits trees since the inception of the project in 2006 in their NRM project under CSR in Tijara Tehsil.</p>	Year	Old Plants	New Planted	Total	Mortality	Survival %	13-14	5400	1210	6610	264	96	14-15	6346	1207	7553	1782	77	15-16	5771	922	6693	204	78	16-17	6489	1673	8162	1788	78	17.18	6374	2243	8617	1478	83
Year	Old Plants	New Planted	Total	Mortality	Survival %																																	
13-14	5400	1210	6610	264	96																																	
14-15	6346	1207	7553	1782	77																																	
15-16	5771	922	6693	204	78																																	
16-17	6489	1673	8162	1788	78																																	
17.18	6374	2243	8617	1478	83																																	
(xxv)	All the commitments made during the public Hearing/public Consultation meeting held on 6th July,2011shall be satisfactorily implemented and adequate budget provision should be made accordingly.	All the commitments made during the public Hearing/public Consultation meeting held on 6th July,2011 are being implemented satisfactorily and adequate budget provision has been made accordingly.																																				

(xxvi)	At least 5% of the total cost of the project shall be earmarked towards the enterprise Social Commitment based on earlier Public Hearing, issues, locals need and item-wise details along with time bound action plan shall be prepared and submitted to the ministry's regional office at Lucknow. Implementation of such program shall be ensured accordingly in a time bound manner.	Noted that at least 5% of the total cost of the project shall be earmarked towards the enterprise Social Commitment based on earlier Public Hearing, issues, locals need and item-wise details along with time bound action plan shall be prepared and submitted to the ministry's regional office at Lucknow. Implementation of such program shall be ensured accordingly in a time bound manner. Total CSR expenditure of the site for last three year is as under. FY 2015-16 Rs. 149.60 Lacs. FY-2016-17: Rs 90.13 Lacs Fy-2017-18 : Rs 66.86 Lacs
(xxvii)	The company shall submit within three months their policy towards corporate Environment Responsibility which should inter-alia address(i) Standard operating process/procedure to being into focus any infringement/deviation/violation of environmental or forest norm/conditions,(ii) Hierarchical system or Administrative order of the company to deal with environmental issue and reporting of non compliances/violation environmental clearance conditions and(iii) System of reporting of non compliances/violation environmental norm to the Board of directors of the company and /or stakeholders or shareholders.	The policy towards corporate Environment Responsibility already submitted.
(xxviii)	Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the contraction wastes shall be managed so that there is no impact on the surrounding environment.	A temporary housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. was provided at the time of construction of the plant.

B. GENERAL CONDITIONS :		
(i)	The project authorities shall strictly adhere to the stipulations made by the Rajasthan State Pollution Control Board (RSPCB).	The project authorities are strictly adhering to the stipulations made by the Rajasthan State Pollution Control Board (RSPCB).
(ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted that no further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.
(iii)	The national Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R no.826 (E) dated 16th November,2009 shall be followed by the unit.	The national Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R no.826 (E) dated 16th November,2009 is being followed by the unit.
(iv)	The locations of ambient air quality monitoring station shall be decided in consultation with RSPCB and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.	Ambient air quality monitoring stations have been set up in the down wind direction as well as where maximum ground level concentration are anticipated in consultation with the RSPCB.
(v)	The overall noise levels in and around the plant area shall be kept well within the standards providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Noted. Noise Control measures have been provided. Acoustic enclosures are provided at high noise level area e.g. DG set area. Ear plug/ muff being used as a precautionary measures Ambient Noise monitoring is being done on six monthly basis to ensure & confirm the noise level is well within the prescribed standard. Analysis report is

		attached as an annexure -7
(vi)	The company shall harvest rainwater from the roof-tops of the building and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water	Noted, We have embarked upon a major NRM Project for integrated water development program in Tijara block in villages Gawalda, Alapur, Milakpur Turk, Palpur, Sirohi Kalan, Kidarpur, Bagod and others as a part of that project. In the year Year 2013-14: 2.34, Year 2014-15: 1.72 MCM Year 2015-16:1.24 MCM, Year 2016-17: 2.29 MCM and Year 2017-18 1.1 4MCM water recharged.
(vii)	During transfer of materials spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste water and storm water drains	During transfer of materials spillages is being avoided and garland drains are constructed to avoid mixing of accidental spillages with domestic waste water and storm water drains
(viii)	Usage of personnel Protection Equipment by all employee/worker shall ensured.	Usage of personnel Protection Equipment by all employee/worker is being ensured.
(ix)	Training shall be imparted to all employee on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	Training is being imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees is being undertaken on regular basis. Training to all employees on handling of chemicals is being imparted.

(x)	The company shall also comply with all the environment protection measures and safeguards proposed in the project report submitted to the ministry. All the recommendations made in the EIA/EMP in respect of environmental Management, risk mitigation measures and public hearing relating to the project shall be implemented.	The company is also complying with all the environment protection measures and safeguards proposed in the project report submitted to the ministry. All the recommendations made in the EIA/EMP in respect of environmental Management, risk mitigation measures and public hearing relating to the project are implemented.
(xi)	The company shall undertake CSR activities and all relevant measures for improving the socio-economic conditions of the surrounding area	The company has undertaken CSR activities and all relevant measures for improving the socio-economic conditions of the surrounding area
(xii)	The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The company has undertaken eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
(xiii)	A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set to carry out the environmental Management and monitoring functions.	Separate Environment cell exists for ensuring compliance with respect to the consent conditions, supported by well equipped (NABL accredited) laboratory. Hierarchy of Management cell is attached as Annexure-11
(xiv)	The company shall earmark sufficient funds for recurring cost per annum to implement the conditions stipulated by the ministry of Environment and forest as well as the state Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environmental management/pollution control measures shall not be diverted for any other purpose.	Noted that the company shall earmark sufficient funds for recurring cost per annum to implement the conditions stipulated by the ministry of Environment and forest as well as the state Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environmental management/pollution control measures shall not be diverted for any other purpose.

(xv)	A copy of the clearance letter shall be sent by the project proponent to concerned panchayat, Zila Praisad/Municipal corporation, Urban local Body and the local NGO ,If any, from who suggestion/representations if any were received while processing the proposal.	A copy of the clearance letter has already been sent by the project proponent to concerned panchayat, Zila Praisad/Municipal corporation, Urban local Body and the local NGO ,If any, from who suggestion/representations if any were received while processing the proposal.
(xvi)	The project proponent shall also submit six monthly reports on the status of compliances of the stipulated Environmental Clearance conditions including results of monitored data(both in hard copied as well as by Email) to the respective Regional office of MoEF, the respective Zonal Office of CPCB and the Rajasthan State Pollution Control Board. A copy of Environmental Clearance and six monthly compliances status report shall be posted on the website of the company.	The project proponent is submitting six monthly reports on the status of compliances of the stipulated Environmental Clearance conditions including results of monitored data(both in hard copied as well as by Email) to the respective Regional office of MoEF, the respective Zonal Office of CPCB and the Rajasthan State Pollution Control Board. A copy of Environmental Clearance and six monthly compliances status report is also being posted on the website of the company.
(xvii)	The environmental statement for each financial year ending 31st March in Form -V as is mandated shall be submitted to the Rajasthan State Pollution Control Board as prescribed under the environment(Protection) Rules,1986,as amended subsequently, shall also be put on the website of the company along with the status of compliances of environmental clearance conditions and shall also be sent to the Lucknow Regional Offices of MoEF by e-Mail	The environmental statement for each financial year ending 31st March in Form -V as is mandated is being submitted to the Rajasthan State Pollution Control Board as prescribed under the environment(Protection) Rules,1986,as amended subsequently, also being put on the website of the company along with the status of compliances of environmental clearance conditions and also being sent to the Lucknow Regional Offices of MoEF by e-Mail
(xviii)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/committee and may also be seen at website of the ministry at www.moef.nic.in.This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and copy of the same shall be	The project proponent has already been informed the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/committee and may also be seen at website of the ministry at www.moef.nic.in.This has also been advertised within seven days from the date of issue of the clearance letter, at

	forwarded to the concerned Regional office of the ministry.	least in two local newspapers that are widely circulated in the region of which one is in the vernacular language of the locality concerned and copy of the same has already been forwarded to the concerned Regional office of the ministry.
(xix)	The project authorities shall inform the Regional Office as well as the ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted that the project authorities shall inform the Regional Office as well as the ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
8.0	The Ministry may revoke or suspend the clearance, if implementation of any of above conditions is not satisfactory.	Noted that the Ministry may revoke or suspend the clearance, if implementation of any of above conditions is not satisfactory.
9.0	The ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	Noted that the ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
10.0	The above conditions will be enforced, inter-alia under the provisions of the water(Prevention& Control of pollution) Act 1974,Air(Prevention & control of water Pollution) Act1981, The Environment (protection) Act,1986 Hazardous Waste(Management, Handling and trans-boundary Movement) Rules,2008 and the public liability insurance Act,1991 along with their amendments and rules.	Noted that the above conditions will be enforced, inter-alia under the provisions of the water(Prevention& Control of pollution) Act 1974,Air(Prevention & control of water Pollution) Act1981, The Environment (protection) Act,1986 Hazardous Waste(Management, Handling and trans-boundary Movement) Rules,2008 and the public liability insurance Act,1991 along with their amendments and rules.